Volvo FM 500 6X2 Euro 6 + HMF 3220-K7

GENERAL

ID number	V813461
Brand	Volvo
Туре	FM 500 6X2 Euro 6 + HMF 3220-K7
Chassis number	YV2XT40C5HB813461
1st Registration Date	14-06-2017
Mileage (Km)	150650
Country of registration	NL
Dimensions	1030x250x350 cm

POWERTRAIN

Engine power (hp)	500
Gearbox type	Automatic
Type of retarder	Volvo Engine Brake
Euro standard	6
Differential lock	×
ABS	×

CHASSIS

Empty weight	15915 kg
Gross weight	28000 kg
Wheelbase	460 cm (1-2), 140 cm (2-3)
Chassis height	100 cm
Fuel Capacity	390 I
Merk aanhangwagenkoppeling	VBG
Drawbar coupling	×















ADDITIONAL INFO

HMF 3220K-RC loading crane, 7 Hydraulic extensions, 1 Extra hydraulic connection, Max. hydraulic horizontal reach: 19 m; Max. lifting capacities: 5910 kg at 4.7 m; 4000 kg at 6.5 m; 2870 kg at 8.4 m; 2170 kg at 10.3 m; 1710 kg at 12.4 m; 1400 kg at 14.5 m; 1190 kg at 16.7 m; 1040 kg at 18.9 m; Radio remote control, 4 Support legs, Year of manufacture 2017 // Olav Hansen open box with aluminium side boards, Box dimensions 640x247x80 cm, Floor height 112 cm, Head board height 150 cm // Truck Euro 6, 6x2, Automatic gearbox (2 pedals), Steel suspension front / Air suspension rear, Rear axle lift and steering, Differential lock, Volvo engine brake, VBG drawbar trailer hitch, High roof cabin, 1 Bed, Air conditioning, Night heater, Digital tachograph, Shipment dimensions 1030x250x350 cm

TYRES

Tyre size axle 1	385/55R22.5
Tyre size axle 2	315/70R22.5
Tyre size axle 3	385/55R22.5

AXLES

Number of axles	3
Number of driven axles	1
Configuration	(v)
Configuration	6x2
Suspension axle 1	Steel suspension
Suspension axle 2	Air suspension
Suspension axle 3	Air suspension
Liftas as 3	×
Steering axle Axle 1	×
Steering axle, Axle 3	×

SUPERSTRUCTURE

Floor height	112 cm
Open box	×
Dimensions superstructure	640x247x80 cm

CABIN

Cabin Type	High roof
Auxillary Heating	×
Airconditioning	~
Number of beds	1

CRANE

Brand crane	HMF
Type crane	3220 K7 RC
Year of manufacture	2017
Maximum crane length	19 m (horizontal)
Loading capacities	5910 kg at 4.7 m; 4000 kg at 6.5 m; 2870 kg at 8.4 m; 2170 kg at 10.3 m; 1710 kg at 12.4 m; 1400 kg at 14.5 m; 1190 kg at 16.7 m; 1040 kg at 18.9 m
Remote control	×
Number of support legs	4
Crane behind cabin	×
Number of hydraulic extensions	7
Hook	 Image: A set of the set of the