

Mercedes

Actros 2640 LS 6x4 + Effer 600/4S + winch

GENERAL

ID number	M403611
Brand	Mercedes
Type	Actros 2640 LS 6x4 + Effer 600/4S + winch
Chassis number	WDB9542411K403611
1st Registration Date	19-05-1999
Mileage (Km)	608500
Country of registration	NL
Dimensions	740x250x400 cm

POWERTRAIN

Engine power (hp)	400
Gearbox type	Semi-automatic
Number of gears	12
Euro standard	2
Differential lock	✓
ABS	✓

CHASSIS

Empty weight	18000 kg
Gross Combined Weight	50000 kg
Gross weight	28000 kg
Wheelbase	465 cm
Chassis height	115 cm
Fifth wheel height	135 cm
Fuel Capacity	350 l
Kingpin diameter	2 inches



ADDITIONAL INFO

Effer 600/4S loading crane, 4 Hydraulic extensions, 3 Manual extensions, 2 Hooks, 2 Pulleys, 4 Support legs, Radio remote control, Year of manufacture 1999, Lifting capacities: 15200 kg at crane knuckle, 13000 kg at 3.95 m, 8630 kg at 6.00 m, 6370 kg at 8.05 m, 5070 kg at 10.15 m, 4220 kg at 12.25 m, 3360 kg at 14.64 m, 2730 kg at 17.04 m, 2140 kg at 19.43 m; Max. hydraulic horizontal outreach 12.25 m, Max. total outreach incl. manual extensions: 19.43 m // Truck Euro 2, 6x4, PTO with hydraulics, Diff. lock, Air suspension rear, EPS semi-automatic gearbox (3 pedals), Engine brake, Front tyres 385/65R22.5, Rear tyres 315/80R22.5, Adjustable fifth wheel position (2" kingpin diameter), Fifth wheel height 135 cm, Low roof cabin, 1 Bed, Analogue tachometer, Night heater, Shipment dimensions 740x250x400 cm

TYRES

Tyre size axle 1	385/65R22.5
Tyre size axle 2	315/80R22.5
Tyre size axle 3	315/80R22.5

AXLES

Number of axles	3
Number of driven axles	2
Configuration	6x4
Suspension axle 1	Steel suspension
Suspension axle 2	Air suspension
Suspension axle 3	Air suspension
Steering axle Axle 1	✓

SUPERSTRUCTURE

Hydraulic	✓
-----------	---

CABIN

Cabin Type	Low roof
Auxillary Heating	✓
Number of beds	1

CRANE

Brand crane	Effer
Type crane	600/4S
Year of manufacture	1999
Maximum crane length	12.25 hydraulic horizontal outreach, 19.43 m horizontal outreach incl. manual extensions
Loading capacities	15200 kg at crane knuckle, 13000 kg at 3.95 m, 8630 kg at 6.00 m, 6370 kg at 8.05 m, 5070 kg at 10.15 m, 4220 kg at 12.25 m, 3360 kg at 14.64 m, 2730 kg at 17.04 m, 2140 kg at 19.43 m
Remote control	✓
Number of support legs	4
Crane behind cabin	✓
Number of mechanical extensions	3
Number of hydraulic extensions	4
Hook	✓
Winch	✓
Pulleys	✓